



EVROPSKÁ UNIE
Evropské strukturální a investiční fondy
Operační program Výzkum, vývoj a vzdělávání



Plnění veřejné zakázky je finančně zajištěno prostředky ze strukturálních fondů EU (OP VVV – projekt Výzkumné centrum pro studium patogenů z rodu Phytophthora", reg.č. CZ.02.1.01/0.0/0.0/15_003/0000453; Phytophthora Research Centre, CZ.02.1.01/0.0/0.0/15_003/0000453)

KUPNÍ SMLOUVA

kterou ve smyslu příslušných ustanovení zákona č. 89/2012 Sb., občanského zákoníku (dále jen „zákon“), uzavřely níže uvedeného dne, měsíce a roku na základě vzájemného konsenzu a za následujících podmínek tyto smluvní strany

Kupující: **Mendelova univerzita v Brně**
se sídlem: Zemědělská 1665/1, 613 00 Brno
Statutární orgán: prof. RNDr. Ladislav Havel, CSc., rektor
Ke smluvnímu jednání oprávněni: prof. RNDr. Ladislav Havel, CSc., rektor
prof. Dr. Ing. Libor Jankovský, ředitel projektu jako příkazce operace
Ing. Petra Doleželová, hlavní manažer projektu jako správce
rozpočtu
kontaktní osoba
v technických záležitostech: XXXXX
e-mail: XXXXX
tel. +420 XXXXX
IČO: 62156489
DIČ: CZ62156489
bankovní spojení: XXXXX
číslo účtu: XXXXX
na straně jedné a dále v textu pouze jako „Kupující“

a

Prodávající: **Enviroinvest s.r.o.**
se sídlem: **Plzeňská 155/113, 150 00 Praha 5**
adresa pro doručování (je-li odlišná od shora uvedeného):
jednatel: **Jan Herber**
IČO: **29052980**
DIČ: **CZ29052980**
bankovní spojení: **XXXXX**
číslo účtu: **XXXXX**
zápis do obchodního rejstříku vedeného u **MS Praha, oddíl C, vložka 163131**
na straně druhé a dále v textu pouze jako „Prodávající“



Pro případ, že dojde ke změně kteréhokoli ze shora uvedených údajů, je smluvní strana, u které daná změna nastala, povinna informovat o ní druhou smluvní stranu, a to průkazným způsobem (formou doporučeného dopisu nebo emailové zprávy podepsané zaručeným elektronickým podpisem, v souladu se zákonem č. 227/2000 Sb., o elektronickém podpisu a o změně některých dalších zákonů), a to bez zbytečného odkladu. V případě, že z důvodu nedodržení nebo porušení této povinnosti dojde ke škodě, zavazuje se strana, která škodu způsobila, tuto nahradit v plné výši.

Článek 1 Předmět Dodávky

1.1 Prodávající se zavazuje v rámci smluvního vztahu dodat požadované plnění na:

Část 3: Skener kořenů včetně vyhodnocovacího software

1.2 Dodávkou podle této Smlouvy je: „Dodávka speciálních laboratorních přístrojů – rozdělena na části.“

- **Část 3: Skener kořenů včetně vyhodnocovacího software, bližší specifikace viz příloha č. 1c**

Podrobný rozsah plnění včetně požadovaných parametrů je uveden v příloze č. **1c** – technické specifikaci zařízení.

1.3 Součástí předmětu plnění je dodávka speciálních laboratorních přístrojů včetně níže uvedených společných požadavků na obě části předmětu plnění:

- záruční servis,
- minimální záruka dle technické specifikace pro každou část individuálně,
- doprava na místo plnění a instalace v ceně dodávky,
- zaškolení obsluhy na dodaném zařízení v místě instalace, zaškolení na vyžádání v českém i anglickém jazyce,
- elektrické zástrčky přístrojů musí splňovat evropské normy,
- dodání technické dokumentace a návodů k obsluze v českém (příp. anglickém) jazyce,

další požadavky na předmět a rozsah plnění včetně jejich upřesnění jsou uvedeny v příloze č. **1c** – technické specifikace (např. požadavek na odezvu servisní služby do 24 hodin v části 1 a další požadavky, uvedené v jednotlivých přílohách).

dále jen „Dodávka“.

Prodávající bude povinen rovněž zajistit před realizací Dodávky veškeré povinnosti související s vyřízením případných celních deklarací.

1.4 Dodávka je blíže specifikována v technické specifikaci, která byla součástí zadávací dokumentace a kterou předložil Prodávající v rámci své nabídky ze dne **21. 6. 2017** (*vyplní dodavatel*) a která je přílohou č. 1 této smlouvy.

1.5 Prodávající se touto Smlouvou zavazuje:

- a) dodat Kupujícímu předmět Dodávky dle odst. 1.1, 1.2 a 1.3 a převést na něho vlastnické právo k tomuto předmětu Dodávky,
- b) splnit povinnosti dle odst. 1.3,



a Kupující se zavazuje za tuto Dodávku zaplatit cenu ve výši dle čl. 2 a způsobem dle čl. 3 této Smlouvy.

Článek 2 Cena Dodávky

2.1 Kupující se zavazuje Prodávajícímu zaplatit (níže vyplní dodavatel):

Část 3: Skener kořenů včetně vyhodnocovacího software	Kč bez DPH	DPH v Kč	Kč včetně DPH
CELKEM Kč bez DPH za část 3:	309 260,-	64 945,-	374 205,-

Pozn.: Dodavatel je povinen vyplnit žlutě podbarvená pole dle skutečnosti, tedy dle toho, na jakou část veřejné zakázky podává nabídku. Dodavatel vymaže tu část veřejné zakázky, na kterou nehodlá podat nabídku.

Článek 3 Platební podmínky

- 3.1 Kupující je povinen zaplatit Prodávajícímu za Dodávku cenu ve výši dohodnuté v čl. 2 smlouvy na základě jím vystaveného a Kupujícímu prokazatelně doručeného daňového dokladu. Daňový doklad může být vystaven pouze na základě Kupujícím potvrzeného protokolu o předání a převzetí přístrojů do provozu.
- 3.2 Obě Smluvní strany ujednávají, že plnění za všechny části bude fakturováno pracovišti: Mendelova univerzita v Brně, Lesnická a dřevařská fakulta fakulta, Ústav ochrany lesa a myslivosti, Zemědělská 1665/3, 613 00 Brno.
- 3.3 Obě smluvní strany tímto bezvýhradně ujednávají právo Kupujícího pozastavit finanční plnění, a to ve výši 10 % ceny Dodávky (pro každou fakturu samostatně). Tuto zbývající část ceny dodávky je Kupující povinen Prodávajícímu uhradit nejpozději do tří měsíců od uplynutí splatnosti daňového dokladu, avšak pouze v případě, že Kupující v této době neuplatní u Prodávajícího své nároky z odpovědnosti za vady. Uplatní-li v této době kupující u prodávajícího nároky z odpovědnosti za vady, doplatí kupující prodávajícímu zbývajících 10 % ceny dodávky po odstranění případných vad.
- 3.4 DPH bude účtována ve výši určené podle právních předpisů, platných ke dni uskutečnění zdanitelného plnění. Cena je nejvýše přípustná a není možné ji překročit za žádných podmínek s výjimkou změny sazeb DPH. Cena zahrnuje veškeré a konečné náklady spojené se sjednaným a uvedeným rozsahem plnění.

Přílohou a součástí daňového dokladu musí být:

- Kupujícím potvrzený předávací protokol o předání a převzetí Dodávky jako bezvadné, nebo
- Kupujícím potvrzený předávací protokol o předání a převzetí Dodávky a Kupujícím potvrzený doklad o odstranění všech vad a nedodělků Dodávky uvedených v předávacím protokolu.

- 3.5 Prodávající vystaví daňový doklad do 15 dnů ode dne uskutečnění zdanitelného plnění a doručí jej prokazatelně objednateli do 5 kalendářních dnů od vystavení.
- 3.6 Kupní cenu zaplatí Kupující Prodávajícímu bankovním převodem na bankovní účet Prodávajícího uvedený v článku 1 této Smlouvy na základě daňového dokladu vystaveného prodávajícím ke dni uskutečnění zdanitelného plnění, kterým je den podepsání protokolu o převzetí dodávky. Splátnost



daňového dokladu je stanovena dohodou smluvních stran do 30 dnů od doručení daňového dokladu Kupujícím.

- 3.7** Daňový doklad bude obsahovat náležitosti daňového a účetního dokladu podle zákona č. 563/1991 Sb., o účetnictví, ve znění pozdějších předpisů, zákona č. 235/2004 Sb., o dani z přidané hodnoty, ve znění pozdějších předpisů. V případě, že daňový doklad takové náležitosti nebude splňovat, bude objednatel vrácen do dne splatnosti daňového dokladu k opravení bez jeho proplacení. V takovém případě lhůta splatnosti začíná běžet znovu ode dne doručení opraveného či nově vyhotoveného daňového dokladu.
- 3.8** Prodávající odpovídá za škodu, která vznikne objednateli z důvodů nedodržení vystaveného daňového dokladu v uvedených termínech, zejména za pozdní odvod DPH Kupujícím z důvodů pozdního dodání daňového dokladu Prodávajícím.
- 3.9** Nebude-li uhrazena kupní cena do 60 dnů ode dne splatnosti daňového dokladu Kupujícím, sjednává si Prodávající právo odstoupit od této Smlouvy.
- 3.10** Kupující upozorňuje dodavatele, že na jednotlivých fakturách musí být uvedeno registrační číslo projektu. Prodávající uvede na faktuře následující text: „**OP VVV – projekt Výzkumné centrum pro studium patogenů z rodu Phytophthora**“, reg.č. **CZ.02.1.01/0.0/0.0/ 15_003/0000453; Phytophthora Research Centre, CZ.02.1.01/0.0/0.0/ 15_003/0000453.**“

Článek 4

Dodací doba a místo

- 4.1** Prodávající se zavazuje provést (dodat) shora uvedenou Dodávku nejpozději ve lhůtě:

- **do 8 týdnů od potvrzení přijetí objednávky pro část 3 veřejné zakázky,**

Prodávající splní svou povinnost provést (dodat) shora uvedenou Dodávku tím, že tato bude převzata jako bezvadná Kupujícím.

- 4.2** Prodávající se současně zavazuje, že s ohledem na povahu Dodávky vyzoomí osobu uvedenou v bodě 4.4 smlouvy vždy s dostatečným časovým předstihem (minimálně 3 pracovní dny) a prokazatelně ji uvědomí o tom, že má v úmyslu Dodávku předat, jinak Kupující není povinen Dodávku převzít.
- 4.3** Prodávající se zavazuje Dodávku předat v sídle zadavatele: Mendelova univerzita v Brně, Lesnická a dřevařská fakulta, Ústav ochrany lesů a myslivosti, Zemědělská 1665/3, 613 00 Brno; případně: Mendelova univerzita v Brně, Fakulta regionálního rozvoje a mezinárodních studií, třída Generála Píky 2005/7, 613 00 Brno. Místo plnění bude určeno kupujícím v objednávce.

- 4.4** Kupující prohlašuje, že je jeho jménem oprávněn převzít Dodávku a podepsat předávací protokol:

XXXXX

+420 XXXXX

XXXXX



Článek 5 Záruční doba

- 5.1** Záruka na dodávané přístroje se sjednává na dobu **12** měsíců pro část 3 a začíná běžet dnem převzetím dodávky Kupujícím. Pokud je v technické či výrobní dokumentaci výrobce stanovena:
- kratší záruční doba, platí ustanovení o záruce dle předchozí věty tohoto článku Smlouvy
 - delší záruční doba, platí ustanovení o záruce dle technické či výrobní dokumentace výrobce.
- Záruční doba se staví po dobu, po kterou nemůže Kupující předmět smlouvy řádně užívat pro vady, za které nese odpovědnost Prodávající.
- 5.2** Záruka se nevztahuje na vady způsobené nesprávnou obsluhou zařízení, neodbornou manipulací nebo v důsledku havárií. Prodávající odpovídá za vady, jež má dílo v době předání a za vady, které se vyskytly v záruční době.
- 5.3** Reklamacе vad musí být provedena písemně bez zbytečného odkladu poté, kdy byla Prodávajícím zjištěna (za písemné uplatnění se považuje i nahlášení faxem nebo e-mailem).
Kupující bude vady oznamovat na hot-line Prodávajícího **Enviroinvest s.r.o.:**
faxové číslo:
e-mail: **XXXXX**
adresu: **Plzeňská 155/113, 150 00, Praha 5**
- Jakmile Kupující odešle toto oznámení, bude se mít za to, že požaduje bezplatné odstranění vady, neuvede-li v oznámení jinak.
Prodávající je v takovém případě povinen odstranit vady na vlastní náklady, které se vztahují jak na opravu, tak na případnou přepravu vadného zboží a další s opravou související náklady. Prodávající je tak v případě uplatnění reklamacе s požadavkem na opravu předmětu koupě povinen
- vyslat zaměstnance či pověřit třetí osobu opravou předmětu koupě v sídle Kupujícího, a to na vlastní náklady,
 - zajistit přepravce, který vyzvedne předmět koupě v sídle Kupujícího, předmět koupě převezde do sídla Prodávajícího či jeho pobočky či do sídla třetí osoby, kde bude oprava realizována, a následně zajistí Přepravce, který přepraví opravený předmět koupě zpět do sídla Kupujícího, to vše na náklady Prodávajícího.
- 5.4** Provedenou opravu vady díla Prodávající Kupujícímu předá písemným protokolem, kterému bude předcházet funkční zkouška, která prokáže opětovnou plnou funkčnost zboží.
- 5.5** Prodávající je povinen uhradit Kupujícímu škodu, která mu vznikla vadným plněním, a to v plné výši. Prodávající rovněž Kupujícímu uhradí náklady vzniklé při uplatňování práv z odpovědnosti za vady.
- 5.6** Prodávající poskytuje technické konzultace telefonicky, písemně či osobně dle potřeb uživatele, komunikuje s technickým personálem uživatele a pomáhá řešit provozní záležitosti při používání systému, poskytuje uživateli veškeré mezinárodně dostupné informace o nových nástrojích a technických možnostech systému.
- 5.7** Reklamacе jsou ze strany Kupujícího řešeny pověřeným pracovníkem XXXXX, +420 XXXXX, XXXXX.



Článek 6 Smluvní pokuty

- 6.1** V případě prodlení Prodávajícího s dodávkou je Kupující oprávněn účtovat smluvní pokutu ve výši 0,1 % z kupní ceny za každý započatý den prodlení, nejdéle však po dobu 30 dnů. Toto ustanovení platí pro všechny části samostatně.
- 6.2** V případě prodlení Kupujícího s úhradou ceny za poskytnutou dodávku je Prodávající oprávněn účtovat Kupujícímu smluvní pokutu ve výši 0,1 % z dlužné částky za každý den prodlení.
- 6.3** V případě, že nebude Prodávajícím dodávka poskytnuta ve lhůtách dle bodu 4.1, a bude-li rovněž vyčerpána možnost smluvní sankce dle bodu 6.1, má Kupující právo odstoupit od smlouvy a je oprávněn Prodávajícímu účtovat jednorázovou smluvní pokutu ve výši 100.000,- Kč (stotisíc).
- 6.4** V případě prodlení Prodávajícího s odezvou na požadavek servisní služby dle bodu 1.4 smlouvy je Kupující oprávněn účtovat smluvní pokutu ve výši 5.000,- Kč za každý den prodlení.
- 6.5** Na jakoukoli smluvní pokutu je oprávněné smluvní straně umožněno vystavit daňový doklad – fakturu. Jakákoli smluvní pokuta je splatná do 14 dnů ode dne doručení oznámení o jejím uplatnění druhé straně smlouvy. Náhrada případné škody není zaplacením kterékoliv smluvní pokuty dotčena.

Článek 7 Ustanovení společná a závěrečná

- 7.1** Otázky touto Smlouvou výslovně neupravené se řídí příslušnými ustanoveními zákona č. 89/2012 Sb., občanského zákoníku.
- 7.2** Prodávající je na základě § 2e) zákona č. 320/2001 Sb., o finanční kontrole ve veřejné správě a o změně některých zákonů (zákon o finanční kontrole) v platném znění osobou povinnou spolupůsobit při výkonu finanční kontroly. Prodávající tímto bere na vědomí, že na osobu povinnou spolupůsobit se vztahují stejná práva a povinnosti jako na kontrolovanou osobu.
- 7.3** Nevynutitelnost a/nebo neplatnost a/nebo neúčinnost kteréhokoli ujednání této Smlouvy neovlivní vynutitelnost a/nebo platnost a/nebo účinnost jejích ostatních ujednání. V případě, že by jakékoli ujednání této Smlouvy mělo pozbyt platnosti a/nebo účinnosti, zavazují se tímto smluvní strany zahájit jednání a v co možná nejkratším termínu se dohodnout na přijatelném způsobu provedení záměrů obsažených v takovém ujednání této Smlouvy, jež platnosti a/nebo účinnosti a/nebo vynutitelnosti pozbyla.
- 7.4** Tato Smlouva byla vyhotovena v pěti (5) stejnopisech s platností originálu, přičemž Prodávající obdrží jedno (1) a Kupující čtyři (4) vyhotovení.
- 7.5** Tato Smlouva nabývá platnosti okamžikem jejího podpisu oběma smluvními stranami.
- 7.6** Tato Smlouva nabývá účinnosti okamžikem jejího uveřejnění v registru smluv dle zákona č. 340/2015 Sb., zákon o zvláštních podmínkách účinnosti některých smluv, uveřejňování těchto smluv a o registru smluv (zákon o registru smluv) v registru smluv.
- 7.7** Dojde-li k situaci předvídané v ust. § 7 odst. 1 nebo 2 zákona o registru smluv (zrušení smlouvy od počátku), smluvní strany se zavazují:
- jednat takovým způsobem, aby došlo ke konvalidaci následků, tedy provedení opravy tím, že zveřejní příslušné části smlouvy v registru smluv;



EVROPSKÁ UNIE
Evropské strukturální a investiční fondy
Operační program Výzkum, vývoj a vzdělávání



- pokud i přes rozhodnutí soudu nebo nadřízeného orgánu považují ochranu zájmů uvedených v odstavci 7.7 smlouvy tohoto článku za opodstatněnou, budou respektovat práva vzájemně nabytá v dobré víře a v této souvislosti se zavazují, že vůči sobě nebudou uplatňovat právo na vydání bezdůvodného obohacení a nebudou požadovat vrácení poskytnutého plnění a že žádná ze smluvních stran nepostoupí pohledávku ba vydání bezdůvodného obohacení / vrácení poskytnutého plnění ze zrušené smlouvy na třetí osobu. Rovněž se vůči sobě vzdávají práva na náhradu škody vzniklé v souvislosti s nezveřejněním nebo nesprávným či neúplným zveřejněním smlouvy v Registru smluv.

7.8 Nedílnou součástí této smlouvy je příloha č.1 – technická specifikace předmětu plnění.

7.9 Smluvní strany tímto prohlašují, že se s obsahem této Smlouvy řádně seznámily, že tato Smlouva je projevem jejich vážné, svobodné a určité vůle prosté omylu, není uzavřena v tísní a/nebo za nápadně nevýhodných podmínek, na důkaz čehož připojují své níže uvedené podpisy.

7.10 Kupující i Prodávající souhlasí s uveřejněním kompletní kupní smlouvy včetně příloh na profilu zadavatele a v registru smluv.

7.11 Uveřejnění uzavřené smlouvy v registru smluv zajistí Kupující.

Přílohy: **Příloha č. 1c – technická specifikace části 3**

V Brně dne: 18. 8. 2017

V Praze dne: 18. 7. 2017

Za Kupujícího

Za Prodávajícího

.....
prof. RNDR. Ladislav Havel, CSc.,
rektor

.....
Jan Herber – Jednatel společnosti

.....
prof. Dr. Ing. Libor Jankovský,
řešitel projektu jako příkazce operace

.....
Ing. Petra Doleželová,
hlavní manažer projektu jako správce rozpočtu

Technická specifikace zařízení – nabízené zařízení musí splňovat minimálně následující kritéria:		splnění kritéria ANO/NE
1 Skener kořenů včetně vyhodnocovacího software		1 ks
Scanner:		
Zařízení pro analýzu kořenových systémů: zařízení se skládá ze speciálního skeneru, který eliminuje stíny při snímání kořenového vzorku, dále pak ze speciálního softwaru na bázi analýzy obrazu. Skaner slouží k naskenování vysoce kvalitního obrazu kořenového systému. Software následně analyzuje naskenované obrazy kořenových soustav.		ANO
Oboustranné nasvícení obrazu		ANO
Velikost sken. obrazu min. 30x43 cm		ANO
Optické rozlišení min. 2400 DPI		ANO
Velikost pixelu max. 0,011mm		ANO
Počet bitů na 1 pixel - stupně šedé 16		ANO
Počet bitů na 1 pixel - barevná škála 48		ANO
Rozhraní USB/Firewire		ANO
Driver TWAIN		ANO
Přenos souborů do PC		ANO
Software:		
Software pro zpracování, vizualizaci a analýzu dat		ANO
Software kompatibilita: Windows 7, MS Office 2010		ANO
Příslušenství:		
Podnosy pro umístění kořenů do skeneru		ANO
Délka záruky min 12 měsíců		ANO
Instalace v místě dodání a zaškolení v min. rozsahu 2 hodin		ANO
Zajištění záručního servisu		ANO
Dodání předmětu plnění do 8 týdnů po potvrzení přijetí objednávky		ANO

Vybraný dodavatel musí být na vyžádání zadavatele schopen předložit dokumenty, prokazující splnění shora uvedených a potvrzených technických skutečností, z veřejně dostupných informačních zdrojů, jako jsou: dostupné firemní prospekty a/nebo internetové stránky výrobce. Takovéto dokumenty musí být předloženy v českém, případně anglickém jazyce.



WinRHIZO™

Product Family for Root Image Analysis and More


WinRHIZO is an image analysis system specifically designed for root measurement in different forms. It can do morphology (length, area, volume...), topology, architecture and color analyses. It is made of a computer program and image acquisition components that can be combined to meet different needs and budgets.



WinRHIZO automatically analyses washed roots.


For rhizotron or in-situ root analysis, see our **WinRHIZO Tron** product.

WinRHIZO look and feel



The root diameter distribution graphic displays the root length, area, volume or number of tips as a function of root diameter or color. The number and the width of the classes are user-definable and can be changed at any time.

WinRHIZO displays the analysis over the image. The color used to draw the root skeleton indicates into which diameter class the part of the root has been classified. The same color is used for drawing the root distribution graphic above the image.



Measurement data of the sample under analysis is summarized on screen and is available in detail in data files.

The Arabidopsis version can analyse more than root system per image. It is optimized for young seedling analysis.

WITH ONE MOUSE CLICK YOU CAN DIGITIZE AND ANALYSE ROOTS!

1. ROOT POSITIONING

Simply place the roots directly on the scanner glass or in Regent's water-proof trays. Root positioning is easy and fast with Regent's positioning system for optical scanners (see below). Roots can overlap and do not need to be randomly distributed.

2. ACQUIRE THE IMAGE

Click the scanner icon to digitize the roots and wait a few seconds for the scan to complete and the image to appear on screen. There is no need to use another program to digitize the images, WinRHIZO controls the scanner (or a digital camera) directly. It is TWAIN compatible, meaning that it can get images from many scanners or cameras. It can also analyse images stored in *tiff* or *jpeg* files.

3. ANALYSE THE ROOTS

A few seconds later, the analysis is complete and roots found by WinRHIZO are identified by colored lines in the image. The colors used for drawing them are coded according to the root diameter.

Some analyses (Nodules counting, Color and Topology for example) require interactions from the operator before proceeding.

Root length and diameter are measured with Regent's unique method** and with Tennant's statistical method. With the former, measurements are made continuously at each point along the root. Root overlap at forks and tips are taken into account to provide accurate measurements of length and area. Some measurements made by the system can be overridden by the operator.

4. SAVE THE MEASUREMENT DATA

The last step of the analysis is data saving. WinRHIZO knows when data are ready to be saved and does this automatically. Data files are in ASCII (text) format easily readable by many programs including spreadsheet style like *Excel*. Images and their analyses can also be saved to files for later validations, reanalyses or for visualization in other software programs.

IMAGE ACQUISITION

Roots can be measured automatically by WinRHIZO when they are extracted from the soil and washed of debris and soil particles. Before analysis, the roots must first be digitized with a scanner or camera.

WinRHIZO standard systems uses a desktop optical scanner as the image acquisition device. Optical scanners are well adapted to image acquisition of macroscopic objects like roots or leaves. Regent's scanners come with:

- Accessories to accelerate root positioning and scanning,
- A special lighting system to avoid shadows (see below),
- A permanent calibration to increase the measurement precision,
- And a manual that explains how to scan biological samples (root, leaves, seeds...) for analysis with our programs (scanning for scientific analysis is different than for artistic applications). It also gives tips specific to the scanner purchased (such as scanning speed vs. quality issues).



Regent's scanners can be used for other applications (document or photo scanning). They are available in two different sizes of scan area:

- 22 x 30 cm for Standard Area (STD) scanners,
- 30 x 42 cm for Large Area (LA) scanners.


Why an additional lighting system?

Without a good image of the object to measure, an unnecessary complex and lengthy root detection algorithm is required. Root image acquisition with an optical scanner without proper attention to the lighting system, might produce artifacts that make root identification tedious and imprecise. Shadow (below) is one example.

Shadows have grey levels close to those of the roots. Determining the position of the root boundary is much more difficult when they are present.



Our positioning systems significantly increase your productivity for a very low cost. It is comprised of plastic blocks that can be installed and removed quickly to accommodate up to 12 or 24 different scan area sizes (depending on the scanner model). Together they form a semi-opaque area with a hole (the scanned area) for sample placement. Trays that match these rectangular scan areas are supplied with a complete system. They can also be purchased at any time. These trays allow you to scan immersed roots, which are easier to spread than dry roots.



How does it increase the productivity?

- You don't have to worry where to place the samples on the scanner glass. Once you have determined the sample positioning scheme, you simply insert the samples in the open area on the glass for the acquisition of subsequent images. The WinRHIZO program has pre-defined positioning options for you to choose from.
- Because WinRHIZO knows the size and position of the sample on the scanner glass, you can bypass the traditional scanner *Preview* step. You save 10 to 20 seconds for each scan. That's a lot of time after thousands of scans!
- While a sample is being scanned or analysed, you (or a second operator) can prepare the next root sample in another tray away from the scanner.

REFERENCES

* "WinRHIZO™, a root-measuring system with a unique overlap correction method", Arsenault, J.-L., S. Pouleur, C. Messier, and R. Guay. 1995. HortScience 30: 906. (Abstract).

** "Accuracy of Measurements with Mac/WinRHIZO™". Stephan Pouleur, REGENT INSTRUMENTS Technical note #3, 1995, pp. 1-4.

*** "A test of a modified line intersect method for estimating root length". Tennant D. 1975, J. Ecol. 63. pp. 995-1001.

The WinRHIZO program is offered in 4 versions (Basic, Reg, Pro & Arabidopsis)

The tables below list and explain the measurements and features offered by each version

WinRHIZO Basic is a low cost entry level version. It produces only global measurements (average root diameter, total root length, area, volume and number of tips).

WinRHIZO Regular has all features of the Basic model plus root morphology measurement as a function of user definable diameter classes. A root (length, area, volume) distribution graphic is automatically generated and is visible above the image. This graphic can also be printed.

WinRHIZO Pro has all features of the Regular version plus link, topology, architecture and color analyses. The color analysis can produce root morphology as a function of color. It can also be used as a color area meter (see next page).


WinRHIZO Arabidopsis has all features of the Pro version plus the ability to separate and analyse separately individual objects such as seedlings and leaves. It can do multiple root analyses per analysed image or regions of it (see next page).


Measurement	Model		
	Basic	Reg	Pro & Arabidopsis
Root Morphology			
Global (Total or Average for the image)			
Total Length	Yes	Yes	Yes
Average Diameter	Yes	Yes	Yes
Total Area, Volume	Yes	Yes	Yes
Number of tips, forks & crossings	Yes	Yes	Yes
In function of root diameter (per diameter class)			
Length	No	Yes	Yes
Area, Volume	No	Yes	Yes
Number of tips	No	Yes	Yes
In function of root color (see Color Analysis below)			
Length	No	No	Yes
Area, Volume	No	No	Yes
Number of tips	No	No	Yes

Note: It is possible to upgrade from a low to a high-end program version at any time by paying the difference in cost between the two versions.

Link Analysis	Basic	Reg	Pro & Arabidopsis
Globally (for the whole image)			
Total number of links	No	No	Yes
Average link length, diameter, area, volume, branching angle	No	No	Yes
Per link (individually)			
Length, Average diameter, Area, Branching angle	No	No	Yes
Basic Connectivity (definitions & colors below refer to figure to the right)			
Red	= External-External link	Green	= Internal-Internal link
Yellow	= External-Internal link	Blue	= Isolated link (not connected to any link)

Link analysis is a study of the morphology and basic connectivity of root segments. It can be done on incomplete or complete root systems.






Topology	Basic	Reg	Pro & Arabidopsis
Globally (for the whole image)			
External path length	No	No	Yes
Altitude	No	No	Yes
Per link (individually)			
Magnitude	No	No	Yes
Path length	No	No	Yes
Altitude	No	No	Yes
Structured Connectivity	No	No	Yes

Topology analysis is an extensive link connectivity analysis.


- Magnitude, the number of external links extending from a link.
- Path length, the number of links between a link and the base link, (inclusively).
- External path length, the sum of path lengths of all external links. It is a value for the complete root system (not per link).
- Altitude, the largest path length.



Developmental classification	Basic	Reg	Pro & Arabidopsis
Number of links (per order)	No	No	Yes
Total length (per order)	No	No	Yes
Total Area (per order)	No	No	Yes
Average link length (per order)	No	No	Yes
Average link area (per order)	No	No	Yes
Average diameter (per order)	No	No	Yes
Link order (per link)	No	No	Yes

The developmental analysis identifies the order in which links were born from the base link as the plant grew.

Links of the same order can also be grouped per axis. An axis is a group of connected links of the same order. Morphological data can be obtained for all orders and axes.




Root Architecture with Fractals	No	No	Yes
Color Analysis	No	No	Yes (see next page)

COLOR ANALYSIS WITH THE PRO & ARABIDOPSIS VERSIONS

Color analysis allows you to quantify areas of specific colors or groups of colors and to measure root morphology as a function of color. The operator first indicates to WinRHIZO the colors of the objects to be analysed and those of the surrounding background. This is done interactively by clicking the mouse in the image. During the image analysis process, WinRHIZO classifies the colors present in the image into different classes before making the morphological measurements. There are many possible applications for color analysis. Some are given below:

*Leaf area meter.
Quantification of
leaf disease and
insect damage.*




*Mycorrhizae quantification
(area).
Images from a camera and
proper sample preparation
required.*



Seeds classification




Shoot growth quantification



*Root
morphology
(length, area)
in function of
color.*

*Measure roots in
front of different
backgrounds (in a
growing pouch for
example).*



Color analysis will work if there are minimal color contrasts between the feature(s) you want to quantify and the surrounding background. To ensure that WinRHIZO meets your needs, please discuss your application with our sales department before purchasing a system.

WINRHIZO ARABIDOPSIS

It includes all features and measurements of the Pro version plus:

- Ability to differentiate and analyse separately non-touching seedlings, root systems or objects. Each object has its own measurements in addition to global measurements which encompass all the objects analysed in the image (or region of image).
- Can measure the object's bounding box width and length which can translate into: 1) plant height and width when the image is a view of the seedling side or 2) leaf (or other object) length and width when seen from above.
- Can measure the object's individual area without having to make individual selections (overlapping regions are not detected and touching leaves are analysed as a single object unless the image is edited).
- It can measure the hypocotyl (leaf) length and area separately from roots (you must click at their junction to start the developmental analysis). Area is less precise than length ($\pm 20\%$).

Measurements available per object:

- Number of tips, forks, crossing
- Link analysis (global average, total and individual link length, diameter, area, volume, tips, color).
- Topology and Developmental analysis (Axis, Main & Laterals number and length).
- Nodules per object (interactive count)
- Seedlings (objects) counting
- Area per color class or group

Measurements not available per object (might be different in future versions), only for the image:




- Fractals
- Root distribution histogram data (length, area, volume, tips) in function of diameter
- Root morphology (length, area...) per color



*Non-Touching objects are
automatically identified and analysed
individually (area, length, width, color). They must
contrast with their surrounding background.*




Touching objects and too dense root systems (below) cannot be analysed individually (only total data is available). You can manually trace an outline around each seedling roots to get individual estimates but it will include some neighboring roots. When the root system is very dense it might not be possible to track down the main root and differentiate it from the laterals or it can be possible but time consuming (requiring interactive modifications). Also it might not work on all growing media (minimal contrast required) and with all scanners (we strongly recommend those we sell).



MISCELLANEOUS FEATURES

• User-defined regions of any shape can either be selected for analysis or exclusion from it (Reg, Pro & Arabidopsis versions)

*Irregularly shaped
regions permit
separate analysis of
roots that are close
to each other.*







*Circular regions can
be used to analyse
roots in petri dishes.*

- Image edition to remove artifacts or image defects. You can pick up and edit with any color present in an image or define your own.
- Interactive or in batch (without operator supervision) analysis. *Note:* Not all analyses can be done in batch.
- Pre-defined analysed regions. They allow to create with a single command, a specified number of equidistant regions at different vertical positions (soil depth) in an image. The size and distance between these analysed regions are specified by the operator. (Reg & Pro)
- You can print and save to a file the images with or without their analysis marks over them.
- Debris can be filtered-out based on area, shape (all versions) or color (Pro & Arabidopsis versions).
- WinRHIZO comes with prompt and competent technical support made by Regent's personnel, not by subcontracted firms.
- WinRHIZO comes with printed color manuals which are abundantly illustrated.

MORE ABOUT SCANNERS AND CAMERAS

Why use an optical scanner rather than a video camera?

- Scanners can produce images of many times the resolution of a camera.

<p>A good 2400 dpi scanner (true optical resolution) produces images which have 2400 by 2400 pixels <u>per inch</u> (2.5cm). Some can go up to 4800 dpi.</p>	 <p>2400 2400</p>	<p>Over a scan area of 8.5 by 11.7 inches, it produces an image of 20 400 by 28 080 pixels (more for a LA scanner).</p>	 <p>20400 28080</p>
<p>A good digital camera (12 Megapixels) can produce images of 4272 by 2848 pixels.</p>	 <p>2848 4272</p>	<p>Over an area of 8.5 by 11 inches, unlike the scanner it still produces an image of 4272 by 2848 pixels. It has an equivalent resolution of approximately 350 dpi. The pixels are too large to measure very thin roots. Therefore, you must reduce the area and take more images. The above scanner image <i>it is equivalent to 47 camera images!</i></p>	 <p>2848 4272</p>

- It is easy to get good images using a scanner. Lighting is uniform over the entire scan area and it is not necessary to adjust the position, orientation or intensity of the light source. There are no focus or aperture rings to adjust.
- Calibration is permanent. Unlike a camera, the object-to-camera distance and zoom are always the same.
- They are reliable and last for a long time.

When is a camera better adapted than a scanner?


A camera is better when extremely high magnification is required. By adding proper lenses or mounting it on a microscope, you can see more details than with a scanner **but over a much smaller area**. Mychorizae and root hair are better analysed with such setups. A camera is also better when portability (like image acquisition in field) is required. WinRHIZO can analyse images taken with a camera with a means of calibration.

Can Regent's scanners be used in the field or at a remote location?



Desktop scanners cannot be used in the field but are easily transportable and usable in remote locations where electrical power is available.

Not all scanners are created equal

The images below show the same roots scanned with two different scanners at the same resolution. As you can see, not only dpi (resolution) is important. The quality of optical, electronic and mechanical components have a great influence on what can be seen in an image (and hence, the precision of the measurements you make from it). Scanners are made for different applications, the graphics industry and home use being the major ones. Requirements for scientific usage are different. Eye-pleasing images are good, but it's better to accurately reproduce reality. Therefore, before selling scanners for scientific use, we test them carefully to make sure they have minimal qualities. You cannot rely on theoretical specifications alone.



Target size is 5x5 mm



Why buy a scanner?

Although WinRHIZO can work with many scanner models that are TWAIN compatible, it is advantageous to purchase a scanner from Regent.

- The model you buy has passed our scientific quality control test. You get a scanner that is well adapted (fast, precise and reliable) for long term repetitive scientific measurements. Before deciding which scanners to sell, we test many of the models available and we choose the best.
- You get a scanner that has a dual lighting system which produces shadow-free images when scanning roots.
- You get a scanner for which the TWAIN driver compatibility has been tested with our products. Unlike some other models on the market, our scanners support the dual light system recommended for WinRHIZO.
- You are sure that our accessories will fit on the scanner. The root positioning system is specific to each scanner we sell.
- We calibrate our scanners against precise standards to obtain more accurate dimensional measurements. This calibration is supplied with the scanner and is automatically used by our programs.


- It is much easier for you to get technical support. You get competent and prompt technical support from people who not only sell the product but also use it. If problems arise, you don't have to contact two vendors, only one is responsible for finding the solution.

- You get our manual that illustrates how to scan biological samples for analysis with our programs (WinRHIZO, WinFOLIA...). This manual helps you to obtain the best images for accurate measurement and also gives some tips specific to the scanner that you have ordered.

Note: Regent Instruments does not provide technical support for scanners it has not sold, nor do we guarantee their compatibility with our products. In case of incompatibility, you can scan the images with the scanner manufacturer's program, save them in *tiff* files, then open and analyse them in WinRHIZO.

THE XLRHIZO COMPANION PROGRAM FOR DATA VISUALIZATION

When comes the time to visualize and analyse data produced by WinRHIZO, XLRhizo is greatly appreciated. This is a utility program that runs in Microsoft Excel. It allows you to manipulate, reorganize and display measurement data graphically. XLRhizo is a utility program that is optional and which can be ordered separately or with WinRHIZO. It is very affordable and can save a lot of time (and manipulation errors).



THE ALTERNATIVES TO WINRHIZO

What are the advantages of a dedicated program like WinRHIZO compared to other programs that can analyse everything?

Many image analysis programs on the market were developed for morphology analyses of complex objects. These programs can analyse many types of objects and produce hundreds of measurements for each one. The main problem with them is that they require a high level of expertise and customisation before producing the analyses that you want. This means that you must be familiar with the basics of image analysis. This complexity is easily recognisable in the structure of the commands and the manuals that come with these programs. They contain many commands that you will never use. They are designed for people who don't do repetitive measurements or for those who have image analysis experts (with spare time) in house.

In contradiction to the above approach, WinRHIZO already knows what you want to digitize and measure (we refer to WinRHIZO as being **integrated**). Without modification to its configuration, it can do root analysis. You simply indicate which analyses you want to do. This makes your work more efficient (and hopefully more pleasant!).

What are the differences between WinRHIZO and the other dedicated root measurement programs commonly found in agro-forestry instrumentation companies?

Some products are simply an interface in front of a general image analysis library of functions that can do many things. These systems are in fact complex morphology image analysis programs marketed as *Do Everything* solutions. They share the same disadvantages as the non-dedicated systems described above.

Another approach consists of subcontracting the design to an external firm which either modifies an existing product, customizes a general image analysis system or builds one from scratch. Because the contractor has to pay for each modification, it is unlikely that these systems will be upgraded on a regular basis. On the other hand, WinRHIZO is updated regularly as can be seen at the following web page: <http://www.regentinstruments.com/products/rhizo/RhizoMostRecent.html>

Can RHIZO be used for other applications?

Although WinRHIZO is optimized for root analysis, it can be used to analyse other objects. For example all versions can be used as an area meter (*i.e.* leaf analysis), while the *Pro* and *Arabidopsis* versions can be used as a color quantifier that has many applications (*i.e.* disease quantification). By default it expects to analyse roots, so you'll have to change some settings to use it for other applications. Refer to WinFOLIA for more sophisticated leaf analysis and WinCAM for generic objects morphology and color analyses.

You can get scientific publications from people who have tested and used WinRHIZO from the following web page:
<http://www.regentinstruments.com/assets/references.html>

Complementary products sold by Regent Instruments Inc.:

WinCELL for wood anatomical cell analysis (free with WinDENDRO Reg and Density)
WinDENDRO for tree ring and wood density analysis
WinSCANOPY

WinCAM NDVI for color analysis
WinFOLIA for broad leaf analysis
WinSEEDLE for seed and needle analysis